



Exteris Stressgard® is a new fungicide in the SDHI class of chemistry that is combined with trifloxystrobin to provide long-lasting, preventative and curative control of foliar turf diseases including dollar spot, brown patch, and leaf spot. The unique formulation delivers enhanced plant health benefits along with improved turf quality. The flexibility of Exteris Stressgard allows for applications throughout the year and under a wide variety of environmental conditions.

Best Uses: Dollar spot, brown patch, leaf spot

Key Strengths: Preventative and fast curative dollar spot control on fairways from 21-28 days


Attributes of Exteris Stressgard

- Broad spectrum disease control - dollar spot, brown patch, leaf spot
- Program flexibility for greens, tees and fairways
- Enhanced turf quality and plant health benefits associated with Stressgard Formulation Technology®
- Quick dry time and absorption
- Fast curative activity across range of spray volumes
- Dew mitigation properties

Solutions for Tough Diseases

- Preventative and fast curative activity
- Controls DMI resistant dollar spot
- Can be used for summer dollar spot and brown patch control without negative growth regulating effects
- Promotes plant health throughout the summer disease season

Active	fluopyram (12.5 g/L) +
Ingredients:	trifloxystrobin (12.5 g/L)
FRAC Code:	7 + 11 (SDHI + Qol)
Systemicity:	acropetal
Formulation:	suspension concentrate
Signal Word:	caution



Photos taken by Dr. Paul Giordano - Bayer

Use Rate (g/100 m ²)	Coverage per Container (100 m ²)	Coverage per Container (Acres)	G trifloxystrobin per acre	G fluopyram per acre	Applications allowed at rate (per year)
140 mL	71	1.75	708	708	2.8
170 mL	58.8	1.45	859.9	859.9	2.4
200 mL	50	1.24	1011.6	1011.6	2

Key Disease Controlled	Rates mL/100 m ²	Application Interval (Days)
Dollar Spot	140-200	14-21 (greens and tees) 21-28 (fairways)
Brown Patch	140-200	14-21
Leaf Spot (<i>Bipolaris spp.</i> , <i>Drechslera spp.</i>)	140-200	14-21

See Exteris Stressgard label for complete reference on control options and applications instructions. Always read and carefully follow label instructions.

How to Use Exteris Stressgard

Apply Exteris Stressgard when conditions are favourable for disease as part of an integrated management program on greens, tees and fairways. Exteris Stressgard can be combined with Signature Stressgard™ in an anthracnose management program for enhanced turf quality.

NOTE: Exteris Stressgard is compatible with most fungicide tank mixes, but a jar test is always recommended. Exteris Stressgard should NOT be mixed with **Daconil 2787** due to incompatibility concerns.



www.bayeres.ca 1-888-283-6847

ALWAYS READ AND FOLLOW PRODUCT LABEL PRIOR TO USE.
Exteris®, Stressgard® and Bayer are trademarks of Bayer.
For more information on Exteris, contact Bayer.
Daconil 2787 is a register trademark of Syngenta.

Ontario/Western Canada: Darcy Olds – 905.319.8981
Ontario/Atlantic Canada: Tim Steen – 226.820.5412
Quebec: Normand Drapeau – 514.949.2467
Green Solutions Specialist: Dr.Paul Giordano – 519.767.3876



Science For A
Better Life